8900278

THE UNIVERD SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Northrup King Co.

Tolkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

ALFALFA

'Crockett'

In Lestimony Wancroot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 31st day of July in the year of our Lord one thousand nine hundred and ninety.

Start

Kennett Hears

Plant Variety Protection Office Agricultural Marketing Service Logicalian Secretary of Agricultur

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250. FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULT AGRICULTURAL MARKETING SER	URE VICE		Application is required in order to
APPLICATION FOR PLANT VARIETY PRO	OTECTION	I CERTIFICATE	determine il a plant variety protectior certificate is to be issued (7 U.S.C. 2421) Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR 3 EXPERIMENTAL NO.	. VARIETY NAME
Northrup King Co.		84634	Crockett
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) P.O. BOX 959		5. PHONE (include area code)	FOR OFFICIAL USE ONLY
Minneapolis, MN 55440		612-593-7333	VPO NUMBER
			8900278
		_	F Date
GENUS AND SPECIES NAME 7. FAMI	ILY NAME (Botanio	al)	July 27, 1989
Medicago sativa	Legumino	sae	N /:30 A.M. PP.M.
8. CROP KIND NAME (Common Name)	t t	DATE OF DETERMINATION	Filing and Examination Fee:
Alfalfa		November 1988	S Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION COrporation	(Corporation, part	nership, association, etc.)	R July 27, 1989
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	140.04	TE OF HISPORE A TRAIL	c Pertilicate Fee:
Delaware		TE OF INCORPORATION 976	V Date E () 111.4888
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN			5 July 161990
Dr. Robert W. Romig Northrup King Co. P. O. Box 959	THIS APPLICATION	N AND RECEIVE ALL PAPERS	
Minneapolis, MN 55440			612-593-7305
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRI	UCTIONS on source	PHONE (Include area code):	012 375 7303
a. Exhibit A, Origin and Breeding History of the Variety.			
b. Exhibit B, Novelty Statement.			
c. X Exhibit C, Objective Description of Variety.			
d. Exhibit D, Additional Description of Variety. e. Exhibit E, Statement of the Basis of Applicant's Ownership.	•		
e X Exhibit E, Statement of the Basis of Applicant's Ownership. t. Seed Sample (2,500 viable untreated seeds). Date Seed Sample r	mailed to Plant V	ariety Protection Office	· ·
g. X Filing and Examination Fee (\$2,150) made payable to "Treasurer			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VAR	RIETY NAME ONLY	AS A CLASS OF CERTIFIED SEED? (See &	ection 83(a) of the Plant Variety
YES (II "YES." answer items 16 and 17 below))," skip to item 18 below)	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO	ITEM 16, WHICH CLASSES OF PRODUCT	ON BEYOND BREEDER SEED?
YES NO	<u>.</u> –	NDATION REGISTER	ED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN 1	THE U.S.?		
YES (If "YES," through Plant Variety Protection Act Pate NO	ent Act. Give dat	3	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED	IN THE U.S. OR O	THER COUNTRIES?	
YES (If "YES," give names of countries and dates)			
X NO			
20. The applicant(s) declare(s) that a viable sample of basic seeds of th request in accordance with such regulations as may be applicable.			
The undersigned applicant(s) is (are) the owner(s) of this sexually uniform, and stable as required in section 41, and is entitled to prote	ection under th	e provisions of section 42 of the Pla	that the variety is distinct, nt Variety Protection Act.
Applicant(s) is (are) informed that false representation herein can je			
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR T	TLE	DATE
Wyber W. Mome	Vice E	resident Research	July 24, 1989
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	πε	DATE

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY

Crockett is a synthetic variety made by mixing equal parts of three Northrup King experimental lines to produce breeder seed (Syn 1 generation) of the variety. We planted the mixture in an isolated field near Woodland, California in the spring of 1984. We used honey bees for pollinators and the resulting breeder's seed was harvested in bulk in October and designated as experimental 84634. Following harvest, the field was plowed to destroy the alfalfa since sufficient breeder seed was produced to last the life of the variety. Breeder's seed is maintained by Northrup King Company under controlled storage conditions.

We developed the three parental lines, 83582, 83583, and 83588 during the period 1979-1981 by using multiple cycles of phenotypic recurrent selection for a combination of resistance to spotted alfalfa aphid (Theroaphis maculata), anthracnose (Colletotrichum trifolii) and Phytophthora root rot (Phytophthora megasperma).

Line 83582 was developed by selecting for resistance to spotted alfalfa aphid and Phytophthora root rot within the cultivar, Thor. In 1982 we conducted a final cycle of selection based on progeny performance in field trials at Woodland, California and Washington, Iowa. We produced Syn 1 seed in the greenhouse at Woodland by randomly intercrossing through hand pollination 10 plants from each of the 16 selected lines. The resulting seed was harvested in bulk and used to produce Syn 2 seed in the field in 1983. The Syn 2 was designated 83582.

We developed 83583 by selecting within crosses of Thor x Raidor for resistance to Phytophthora root rot, spotted alfalfa aphid and anthracnose under greenhouse and field conditions. The final 300 parent plants were selected in 1982 for resistance to spotted alfalfa aphid and Phytophthora root rot and randomly intermated in 1983 in the field using honey bees as pollinators. Resulting seed was harvested in bulk and designated 83583.

The parents for 83588 were selected from Thor germplasm in 1982 for resistance to anthracnose (50 plants), Phytophthora root rot (50 plants), and spotted alfalfa aphid (75 plants). Seed was produced on these three subpopulations in the greenhouse in 1982-83 using hand pollinations made at random. In 1983, we bulked 50 grams of seed from each of the three populations and planted this bulk in an isolated field seed increase, using honey bees as pollinators. Resulting seed was harvested in bulk and designated 83588.

From 1984 through 1988, experimental 84634 was extensively tested in University and Northrup King performance trials.

Exhibit A Page 2

No variants exist beyond limits defined under Exhibit C. Crockett is stable for all essential and distinguishing characters during normal seed multiplication. It is as uniform as other alfalfa cultivars presently accepted by state seed certifying programs and was approved as eligible for certification by the National Alfalfa Variety Review Board in January, 1989.

EXHIBIT B

NOVELTY STATEMENT

Crockett is most similar to DuPuits alfalfa but differs from DuPuits in its reaction to anthracnose, bacterial wilt, Fusarium wilt, Phytophthora root rot and spotted alfalfa aphid. Crockett is resistant to these pests and DuPuits is susceptible.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

			E DESCRIPTION C (Medicago sativa sens				
NAME OF APPLICANT(S)			TEMPORARY DE	SIGNATION	VARIETY NAME	Crocket	
Northrup K	ina Co.		84634			or oone c	
-		n Codel			FOR O	FFICIAL USE ONLY	
ADDRESS (Street and No., or R.F.D 7500 Olson Golden Val	Memorial Hi ley, MN 554		Box 959		PVPO NUMBER	900278	
PLEASE READ ALL INSTRUCT application variety. Data for quititative data. Comparative data se.g., The Munsell Plant Tissue Co	entitative plant charac hould be determined	ters should be based	on a minimum of 100) plants. Include lea	ding zeros when necessa	ry (e.g., 0 8 9	() for quan-
1. WINTERHARDINESS:							
	1 = Very Non-Winterhat 3 = Intermediately Non- 5 = (Ou Puits) 7 = (Ranger) 9 = Extremely Winterha TEST LOCATION:	Winterhardy (Mesilla)	2 = Non-Winterha 4 = Semi-Winterha 6 = Moderately Wi 8 = Winterhardy (*	ardy (Lahontan) interhardy (Saranac)	, -		
2 FALL DORMANCY:	F	ALL DORMANCY (D	DETERMINED FROM	SPACED PLANTI	NGS)		
	<u>.</u>	1			OR AVERAGE HEIGHT		
TESTING INSTITUTION	DATE OF	DATE REGROWTH	APPLICATION		CHECK VARIETIES*		LSD .05
AND LOCATION	LAST CUT	SCORED	VARIETY Washoe Vernal				
Othello, WA	9/4	10/17	24.13	22.86	10.16		3.68
	ight in cen	timeters ancy Trials) 3 = Sen	eman as appropriate. nierect (Mesilla) cumbent (Norseman)	5 = Intermediate	t (Saranac)		
101	Fast (CUF 101) Blow (Norseman) Sta		I): st (Saranac)	5 = Intermediate	: (Ranger) 7 •	· Slow (Vernat)	
4. AREAS OF ADAPTATION IN U. 2 Primary Area of Adapts	•	ven adapted):		7 Ou	ner Areas of Adaptation	6 1	,
	Central ately Winterhardy Interi (Specily)	2 = East Central nountain	3 = Sou 6 = Winterhardy Inter		4 = Southwest 5 7 = Great Plains		3
5, FLOWERING DATE (When 10% of Days Earlier Than		wers at time of first spri	ing cutl: NO DAT	^A - Will be	e available 1	1/1/89	
Same As		1 = CU	F 101 2	Z = Mesilla	3 = Saranac 4 = Ve	ernal5 = Nore	eman

Days Later Than

TEST LOCATION:

5. PLANT COLOR (Determined fro	m healthy regrowth 3 wee	ks after first sprin	eg cut, controlling les	sfhoppers if necessary):	NO D	ATA - wil	be available 11/1/
1 = Very Derk Green (≠ Dark Green (V		3 = Light Green (Ra	nger}		
	UE (Specify chart used;						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ETY:	•					
VERNAL:		· · · · · · · · · · · · · · · · · · ·			<u></u>		
TEST LOCATION: 7. CROWN TYPE (Determined fro							
			2 = Intermediate (Sa	rangel 3.6	Narrow (CUF	1011	
2 Noncreeping Types				-			
Creeping Types:		Rooted (Rangelar		5 = Rhizomatous (F			Las in place do florendo
8. FLOWER COLOR (Determine	frequency of plants for ea	ch color class as o	lefined by USDA Ag	ricultura! Handbook N	o. 424 (Barnes '	1972), allowing all p	ants in plot to Howers:
100 0 % Purple and Viole	t (Subclasses 1.1 to 1.4)			% Blue (Subclas	ses 2.3 and 2.4)		
% Variegated Other	Than Blue (Subclasses 2.	1, 2.2, 2.5 to 2.9		% Yellow (Subc	lasses 4.1 to 4.4)	
% Cream (Class 3)				% White (Class 5	5)		
TEST LOCATION	Stanton, MN				-		
9. POD SHAPE (Determine freque			s produced on well o	ross-pollinated raceme	s): NO	DATA - wil	l be available 11/1
% Tightly Cailed (One or more coils, center r	nore or less close	d)	% Loosely Coile	d (One or more	coils, center conspi	cuously open)
% Sickle (Less than				TEST LOCATION	ON:		,
		trial data for ap	plication variety, and	i resistant (R) and susc	eptible (S) chec	k varieties, synthetic	generation tested, average severity
							whether test is a field or laboratory I data from other test years or
1	منائدة أممومومون منا ليان بالمناس		e e concesto documer	e se Evhihit D.			
Seeds of 20705.	the check varieties and ge Although comparisons wit	rmplasm lines list th check varieties	ted below can be obt listed below are pref	ained from the USDA i ferred, comparisons wit	Field Crops Let th any appropri	oratory, Bldg. 001, ate check variety rec	Rm. 335, BARC-West, Beltsville, MD commended by Elgin (1982) may be
presente				1		% Resistar	
L DISEASE RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT	NUMBER OF PLANTS TESTED	ASI	XXSI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
DISEASE			PLANTS			<u> </u>	
Anthracnose, Race 1 (Colletotrichum trifolii)	Application	1	49	120			Northrup King Co. 1985
			50	120			Stanton, MN
	xxxx Saranac	C AK	50	120		8.8	Greenhouse
	Saranac (S)	•	_	120			·
	SCORING SYSTEM:		5	120	i		
	Seedling súi	cvival fo	ollowina i	noculation	conside	red resist	cant.
Anthracnose, Race 2				1			
(Collectotrichum trifolii)	Application						
	Sarenec AR (R)						
	Arc (S)					_	
	SCORING SYSTEM:		.1		·		
		,					I
Bacterial Wilt	Application	,	39	> 100	2.15	LSD	University of Minn
(Corynebacterium Insidiosum)		1	33	1 100	2.10	ASI .05	esota - Rosemount
	Vernal (R)	•	32	> 100	2.28	.39	1985
	Narragansett (S)				2.50		Field
	Narragansett (5)		4	> 100	3.69		
	scoring system: Plants scor	.d ()	1 on coale	of 1-5 co	nsidered	Linesistan	t.
	Plants scor	ea u or	I OH SCATE	1 1-3 00	IIS I GET EC	, corocan	Ĭ
Common Lesispot (Pseudopeziza medicaginis)	Application '						
		<u></u>					
	MSA-CW3AN3 (R)			`			
	Ranger (S)						
the production of the second control of the	1.0901 (0)		1	1	1		1

10. A. PEST RESISTANCE (C	Continued):			· · · · · · · · · · · · · · · · · · ·			0700270
DISEASE	VARIETY	SYN. GEN TESTED			ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Downy Mildew (Peronospora trifoliorum)	Application					* .	
Isolate, if known:	Saranac (R)						
	- Kanza (S)	<u> </u>					
	SCORING SYSTEM:			. ,			
Fusarium Wilt (Fusarium oxysporum f. medicaginis)	Application	1	29	>100	3.33		Univ. of Minnesot
	можжязиям Ад	ate (R)	64	>100	2.11	.51	1985 Rosemount, MN
	Narragansett (R)		23	>100	3.92		Field
	SCORING SYSTEM: Plants score	ed O or	1 on scale	of 0-5 con	sidered	l resistant	
Phytophthora Root Rot (Phytophthora megasperma f. medicaginis)	Application	1	58	>100	2.63	. 1 C3 13 Cail C	Northrup King Co.
	Agate (R)		59	>100	2.67	.78	Stanton, MN
	symmetrix The	or(S)	20	>100	4.09		Field
; ·	SCORING SYSTEM: Plants scor	ed 1 or	2 on scal	e of 1-6 co	nsidana	d rocistan	
Verticillium Wilt (Verticillium alboatrum)	Application	1	8	> 100	ns ruere	LSD .05	Northrup King Co.
	XXXXXXXXX WL-3	16(R)	29	>100		on % of Stanton, M resistant Greenhouse 06.4	3
	Sarenac (S)		1	>100			Greenhouse
	SCORING SYSTEM:						
Other (Specify)	Application						
	(R)		:				
	(s)						
	SCORING SYSTEM:						
Other (Specify)	Application						
	(R)						·
	(S)						
	SCORING SYSTEM:			<u> </u>		· · · · · · · · · · · · · · · · · · ·	
NSECT RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT DEFOLIATION	DEFOLIATION IN PERCENT OF RESISTANT CHECK	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Mfalfa Weevil Hypera postica)	Application						
	Arc (R)		·	100		j	
	Saranac (S)						
	SCORING SYSTEM:						

INSECT	VARIETY	SYN, GEN. TESTED	PERCENT SEEDLING SURVIVAL	NUMBER OF SEEDLINGS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Blue Alfalfa Aphid (Acyrthosiphon kondoi)	Application						
	CUF 101 (R)						
	PA-1 (S)						
	SCORING SYSTEM:		*			· .	
Pea Aphid (Acyrthosiphon pisum)	Application	***					
•	Kanza (R)					•	
a.ee	Ranger (S)						
	SCORING SYSTEM:	···			•		
Spotted Alfalfa Aphid (Therioaphis maculata)	Application	1	32	>100	4.3		Northrup King Co
Biotype, if known:	Kanza (R)		33	> 100	4.3	3 .41 I	1985 Woodland, CA
	Ranger (S)		1	>100	5.9		Greenhouse
	SCORING SYSTEM: ·						
	Plants scor	ed 1 or	2 on scal	<u>e of 1-6 co</u>	<u>nsidere</u>	<u>d resista</u>	<u>nt</u>
INSECT	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCAT FIELD OR LABORATORY
Potato Leafhopper Yellowing (Empoasca fabae)	Application						
	MSA-CW3An3 (R)						
	Ranger (S)						
	SCORING SYSTEM:						
Other (Specify)	Application						
	(R)						
	(5)						,
	SCORING SYSTEM:						·
NEMATODE RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASt LSO .05	INSTITUTION, YEAR, LOCAT
NEMATODE							
NEMATODE Northern Root Knot (Meloidogyne hapla)	Application		1	1		-	1
Northern Root Knot	Application Nev. Syn. XX (R)						
Northern Root Knot							

NEMATODE	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY	
Southern Root Knot (Meloidogyne incognita)	Application							
	Моара 69 (R)				-			
	Lahontan (S)				·			
	Scoring System:							
Stem Nematode (Ditylenchus dipsaci)	Application	1	37	> 100	2.8	.40	Northrup King Co.	
	ኡኢኢኢኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒ	ema (HR)	48	>100	2.6		Stanton M	Stanton, MN 1986
	Ranger (S)		25	> 100	3.1		Laboratory	
	SCORING SYSTEM:		_	·				
Other (Specify)	<u>Plants scor</u>	ed 1 or 2	<u>on scale</u>	<u>of 1-5 cor</u>	<u>isiderec</u>	l resistant		
	Application							
	(R)		•	·				
-	(S)							

CHARACTER	VARIETY	CHARACTER	VARIETY
Winterhardiness	Washoe	Plant Color	Saranac
Recovery After 1st Cut	WL-320	Стомп Туре	Washoe
Area of Adaptation	Shenandoah	Combined Disease Resistance	WL-320
Flowering Date		Combined Insect Resistance	

REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.). 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric. Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric. Tech. Bull. 1574. 84 pp.

Munsell Color Co., 1977. Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Alfalfa cultivar Crockett was developed by the Northrup King Co. alfalfa breeding staff from germplasm sources cited in Exhibit A of the application. Northrup King believes that the cultivar is novel as defined in the Plant Variety Protection Act, and therefore, that Northrup King Co. is the sole owner of it.